

1	Flectrical	Characteristics
1	Licuitai	CHALACIELISHICS

1.1 Technical Data	Symbol	Value	Unit
Maximum allowable continuous AC voltage*1	V_{RMS}	7.0	V
Maximum allowable continuous DC voltage	V_{DC}	9.0	V
Varistor voltage Measured*2	V_{B}	12	V
Typical capacitance value measured*3	C	<100	pF
Typical capacitance value tolerance		± 30	%
Maximum clamping voltage measured*4	$V_{\rm C}$	23	V
Rated peak single pulse transient current at *5	Ι _P	20	A
1.2 Reference Da			
Maximum Energy Absorption 10/1000⊬s	Е	0.05	J
Response time	T rise	<2	ns
Leakage current at V_{DC} (At initial state)	I_L	< 50	μ A
Leakage current at V_{DC} (After reliability Test)	I_{LA}	<100	μ A
Operating ambient temperature		-40∼+85	$^{\circ}\! \mathbb{C}$
Storage temperature		-40 ~ +125	$^{\circ}\! \mathbb{C}$
Reflow temperature profile(Recommend)		260	$^{\circ}\! \mathbb{C}$

1.3 Other Data

Body ZnO

End termination Ag/Ni/Sn
Packaging Bulk/Tape
Complies with Standard IEC61000-4-5

Notes:

*1 AC voltage at 50~60Hz

*2 Varistor voltage Measured at 1mA DC


*3 Capacitance Measured at f=1MHz,Vrms=0.5V

*4 Maximum clamping voltage Measured at 1A by 8/20µs Pulse

*5 Rated peak single pulse transient current Measured by 8/20µs Pulse

Size: Unit: mm


Type	Length (L)	Width (W)	High (H)	Termination (L1)
0402	1.00±0.15	0.50±0.15	0.70(max)	0.25 ± 0.10





2.Size


Model	1005(0402)	1608(0603)	2012(0805)	3216(1206)	3225(1210)	4532(1812)	5750(2220)	8050(3220)
Length(L)	1.00 ± 0.15	1.60 ± 0.20	2.00 ± 0.20	3.20 ± 0.20	3.20 ± 0.20	4.50 ± 0.30	5.70 ± 0.30	8.0 ± 0.30
Width(W)	0.50 ± 0.15	0.80 ± 0.20	1.20 ± 0.20	1.60 ± 0.20	2.50 ± 0.20	3.20 ± 0.20	5.00 ± 0.30	5.00 ± 0.30
High(H)	0.70max	0.90max	1.30max	1.60max	2.50max	3.20max	4.50max	4.50max



3.Surge Wave Form

IEC61000-4-5 Standards

Wave shape "Short circuit" (Current Isc)



	8/20 µs waveform current
--	--------------------------

SEVERITY LEVEL

1

2

T1

8 uS

10 uS

T2

20 uS

1000 uS

Rev: 01.06.2018 2/5 www.leiditech.com




4.Enviromental Reliability Test

Characteristic	Test method and description									
High Temperature Storage	The specimen shall be subjected to 125°C for load and then stored at room temperature and varistor voltage shall be within 10%.									
	The temperature cycle of specified	Step	Temperature	Period						
	temperature shall be repeated five times and	1	-40±3℃	30min±3						
Temperature Cycle	then stored at room temperature and	2	Room Temperature	1~2hours						
	humidity for one two hours. The change of varistor voltage shall be within 10% and	3	125±2℃	$30\min\pm3$						
	mechanical damage shall be examined.	4	Room Temperature	1~2hours						
High Temperature Load	After being continuously applied the maximum allowable voltage at 85°C for 1000hours, the specimen shall be stored at room temperature and humidity for one or hours, the change of varistor voltage shall be within 10%.									
Damp Heat Load/ Humidity Load	The specimen should be subjected to 40°C, 90 to 95%RH environment, and the maximum allowable voltage applied for 1000 hours, then stored at room temperature and humidity for one or two hours. The change of varistor voltage shall be within 10%.									
Low Temperature Storage	The specimen should be subjected to -40°C, without load for 1000 hours and then stored at room temperature for one two hours. The change of varistor voltage shall be within 10%.									

5.Soldering Recommendation

The principal techniques used for the soldering of components in surface mount technology are infrared reflow and wave soldering.


7.1 Pb free solder paste



Rev: 01.06.2018 3/5 www.leiditech.com




- 7.2 Repair soldering
- **7.2.1** Allowable time and temperature for making correction with a soldering iron: 350 \pm 10 °C, 3 sec.
- 7.2.2 Optimum solder amount when corrections are made using a soldering iron



- 7.3 Soldering guidelines
- **7.3.1** Our chip varistors are designed for reflow soldering only. Do not use flow soldering
- **7.3.2** Use non-activated flux (Cl content 0.2% max.)
- **7.3.3** Follow the recommended soldering conditions to avoid varistor damage.

6 Packaging Specification

- **8.1** Carrier tape transparent cover tape should be heat-sealed to carry the products, and the reel should be used to reel the carrier tape.
- **8.2** The adhesion of the heat-sealed cover tape shall be 40 + 20/ 15 grams.
- **8.3** Both the head and the end portion of taping shall be empty for reel package and SMT auto-pickup machine. And a normal paper tape shall be connected in the head of taping for the operator handle.




Rev: 01.06.2018 4/5 www.leiditech.com



type	A ₀ ±0.10	B ₀ ±0.10	K ₀ ±0.10	T ±0.05	T ₂ ±0.05	D ₀ +0.10	D ₁ ±0.05	P ₁ ±0.10	P ₂ ±0.05	P ₀ ±0.05	W ±0.20	E ±0.10	F ±0.05
0402	1. 08	1. 88	1. 04	0. 22	0. 87	1. 50	1.00	4. 00	2. 00	4. 00	8. 00	1. 75	3. 50
0603	1. 08	1.88	1.04	0. 22	1. 17	1.50	1.00	4. 00	2. 00	4. 00	8. 00	1. 75	3. 50
0805	1. 42	2.30	1.04	0. 22	1. 26	1.50	1.00	4. 00	2.00	4.00	8. 00	1.75	3. 50
1206	1.88	3. 50	1. 27	0. 20	1. 49	1.50	1.00	4. 00	2.00	4.00	8. 00	1.75	3. 50
1210	2. 18	3. 46	1. 45	0. 22	1. 77	1.50	1.00	4. 00	2.00	4.00	8. 00	1. 75	3. 50
1812	3. 66	4. 95	1.74	0. 25	1. 99	1.50	1.50	8.00	2.00	4. 00	12.00	1.75	5. 50
2220	5. 10	5. 97	2.80	0. 25	3. 05	1.50	1.50	8. 00	2.00	4.00	12.00	1.75	5. 50
3220	5. 50	8. 50	2.80	0.30	3. 50	1.50	1.50	8. 00	2.00	4. 00	16.00	1. 75	7. 50

7. reel dimension



type	A	В	С	D	Е	W	\mathbf{W}_1
0402-1210	178.0±1.0	60.0±0.5	13.0±0.2	21.0±0.2	2.0±0.5	9.0±0.50	1.5±0.15
1812-3220	178.0±1.0	60.0±0.5	13.5±0.1	21.0±0.2	2.0±0.5	13.6±0.2	1.5±0.15

typ	e	0402	0603	0805		1206	1210	1812	2220	3220
quantity	paper	10000	4000	4000	1	-	-	1	1	
	plastic	-	-	-	3000	3000	2000/3000	1000	500/1000	1000

Rev: 01.06.2018 5/5 www.leiditech.com